



National EMS Quality Alliance

Pseudocode for 2019-2020 NEMSIS Implementation

Disclaimer

EMS Performance Measures (Measures) and related data specifications developed by the National EMS Quality Alliance (NEMSQA) are intended to facilitate quality improvement activities by EMS professionals.

These measures are intended to assist EMS professionals in enhancing quality of care. These Measures are not clinical guidelines and do not establish a standard of medical care and have not been tested for all potential applications. NEMSQA encourages testing and evaluation of its Measures.

Measures are subject to review and may be revised or rescinded at any time by NEMSQA. The measures may not be altered without prior written approval from NEMSQA. The measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by health care providers in connection with their practices). Commercial use is defined as the sale, license, or distribution of the measures for commercial gain, or incorporation of the measures into a product or service that is sold, licensed, or distributed for commercial gain. Commercial uses of the measures require a license agreement between the user and NEMSQA. Neither NEMSQA nor its members shall be responsible for any use of the measures.

THESE MEASURES AND SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.

©2019 National EMS Quality Alliance. All rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary coding sets should obtain all necessary licenses from the owners of these code sets. NEMSQA and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications. ICD-10 copyright 2019 International Health Terminology Standards Development Organization.

CPT ® is a registered trademark of the American Medical Association and is copyright 2019. CPT® codes contained in the Measure specifications are copyright 2004-2019 American Medical Association

NEMESIS Pseudocode: Hypoglycemia-01: Treatment Administered for Hypoglycemia

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	<p>eMedications.03 Medication Given is in (4832 ("Glucagon"), 4850 ("Glucose"), 377980 (Glucose Oral Gel), 376937 (Glucose Injectable Solution), 372326 (Glucose Chewable Tablet), 237653 ("Glucose 500 MG/ML Injectable Solution"), 260258 ("Glucose 250 MG/ML Injectable Solution"), 309778 ("Glucose 50 MG/ML Injectable Solution"), 1795610 ("250 ML Glucose 50 MG/ML Injection"), 1795477 ("500 ML Glucose 100 MG ML Injection"), 1794567 ("Glucose Injection") 1165823 ("Glucose Oral Product") 1165822 ("Glucose Oral Liquid Product") 1165819 ("Glucose Injectable Product")) or eProcedures.03 Procedure is in (710925007 ("Provision of food"), 225285007 ("Giving oral fluid"))</p>
Denominator Pseudocode	<p>((eSituation.11 Provider's Primary Impression matches/^E16.2/("Hypoglycemia, unspecified") or eSituation.12 Provider's Secondary Impressions matches/^E16.2/("Hypoglycemia, unspecified")) and (eVitals.23 Total Glasgow Coma Score is < 15 or eVitals.26 Level of responsiveness (AVPU) is in (3326003 ("Verbal") 3326005 ("Painful") 3326007 ("Unresponsive")))) or ((</p>

	<p>eSituation.11 Provider's Primary Impression matches/^R41.82/("Altered Mental Status, unspecified")</p> <p>or eSituation.12 Provider's Secondary Impressions matches/^ R41.82/("Altered Mental Status, unspecified")</p> <p>)</p> <p>and eVitals.18 Blood Glucose Level is less than 60</p> <p>)</p> <p>and eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")</p>
<p>Denominator Exclusion Pseudocode</p>	<p>(</p> <p>(</p> <p>ePatient.15 Age is less than 24</p> <p>and ePatient.16 Age in Units is 2516003 ("Hours")</p> <p>)</p> <p>or</p> <p>(</p> <p>ePatient.15 Age is less than or equal to 120</p> <p>and ePatient.16 Age Units is 2516005 ("Minutes")</p> <p>)</p> <p>)</p>

NEMESIS Pseudocode: Pediatrics-01: Pediatric Respiratory Assessment

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	and eVitals.12 Pulse Oximetry is not null and eVitals.14 Respiratory Rate is not null
Denominator Pseudocode	((ePatient.15 Age is less than 18 and ePatient.16 Age Units is 2516009 ("Years")) or (ePatient.15 Age is not null and ePatient.16 Age Units is in (2516001 ("Days"), 2516003 ("Hours"), 2516005 ("Minutes"), 2516007 ("Months")))) and (eSituation.11 Provider's Primary Impression matches /^I50.9 J00 J05 J18.9 J20.9 J44.1 J45.901 J80 J81 J93.9 J96 J98.01 R05R06 R09.2 T17.9/ ("Heart failure, unspecified," "Acute nasopharyngitis....," "Acute obstructive laryngitis and epiglottitis...," "Pneumonia, unspecified organism," "Acute bronchitis, unspecified," "Chronic obstructive pulmonary disease with (acute) exacerbation," "Unspecified asthma with (acute) exacerbation," "Acute respiratory distress syndrome," "Pulmonary edema...," "Pneumothorax, unspecified," "Respiratory failure, unspecified," "Acute bronchospasm," "Respiratory disorder, unspecified," "Cough," "Abnormalities of breathing," "Respiratory arrest," or "Foreign body in respiratory tract, part unspecified")

or [eSituation.12 Provider's Secondary Impressions](#) matches
/^I50.9|J00|J05|J18.9|J20.9|J44.1|J45.901|J80|J81|J93.9|J96|J98.01|R05
R06|R09.2| T17.9/
("Heart failure, unspecified,"
"Acute nasopharyngitis....,"
"Acute obstructive laryngitis and epiglottitis...,"
"Pneumonia, unspecified organism,"
"Acute bronchitis, unspecified,"
"Chronic obstructive pulmonary disease with (acute) exacerbation,"
"Unspecified asthma with (acute) exacerbation,"
"Acute respiratory distress syndrome,"
"Pulmonary edema...,"
"Pneumothorax, unspecified,"
"Respiratory failure, unspecified,"
"Acute bronchospasm,"
"Respiratory disorder, unspecified,"
"Cough,"
"Abnormalities of breathing,"
"Respiratory arrest," or
"Foreign body in respiratory tract, part unspecified")

)
and [eResponse.05 Type of Service Requested](#) is 2205001 ("911 Response
(Scene)")

NEMESIS Pseudocode: Pediatrics-02: Administration of Beta Agonist for Pediatric Asthma

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	<p>eMedication.03 Medication Given is in</p> <p>(</p> <p>435 (“Albuterol”),</p> <p>7688 (“metaproterenol”),</p> <p>214199 (“Albuterol/Ipratropium”),</p> <p>237159 (“Levalbuterol”),</p> <p>487066 (“levalbuterol tartrate”),</p> <p>1154062 (“Albuterol Inhalant Product”),</p> <p>1163444 (“Levalbuterol Inhalant Product”),</p> <p>1649559 (“Albuterol Dry Powder Inhaler”),</p> <p>1165719 (“metaproterenol Inhalant Product”),</p> <p>2108209 (“Levalbuterol Inhalation Solution”),</p> <p>2108252 (“metaproterenol Inhalation Solution”)</p> <p>)</p>
Denominator Pseudocode	<p>(</p> <p>(</p> <p>and ePatient.15 Age is greater than or equal to 2</p> <p>and ePatient.15 Age is less than or equal to 18</p> <p>and ePatient.16 Age Units is 2516009 ("Years")</p> <p>)</p> <p>or</p> <p>(</p> <p>ePatient.15 Age is greater than or equal to 24</p> <p>and ePatient.16 Age Units is 2516007 ("Months")</p> <p>)</p> <p>)</p> <p>and</p> <p>(</p> <p>eSituation.11 Provider's Primary Impression matches</p> <p>/^(J45) (J98.01\$)/ ("Asthma..." or "Acute Bronchospasm")</p> <p>or</p> <p>eSituation.12 Provider's Secondary Impressions matches</p> <p>/^(J45) (J98.01\$)/ ("Asthma..." or "Acute Bronchospasm")</p> <p>)</p> <p>and eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")</p>

NEMESIS Pseudocode: Seizure-02: Patient Received Intervention for Status Epilepticus

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	<p>Patients receiving EMS intervention (e.g. benzodiazepine) aimed at terminating their status seizure:</p> <p>eMedications.03 Medication Given is in (3322 ("Diazepam"), 6960 ("Midazolam"), 203128 ("Midazolam Hydrochloride"), 6470 ("Lorazepam"))</p>
Denominator Pseudocode	<p>(eSituation.11 Provider's Primary Impression matches /^G40...[1,3]/ ("Epilepsy,..., with status epilepticus") or eSituation.12 Provider's Secondary Impressions matches /^G40...[1,3]/ ("Epilepsy,..., with status epilepticus")) and eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")</p>

NEMESIS Pseudocode: Stroke-01: Suspected Stroke Patient Receiving Prehospital Stroke Assessment

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	or eVitals.29 Stroke Scale Score is not null or eVitals.30 Stroke Scale Type is not null
Denominator Pseudocode	(eSituation.11 Provider's Primary Impression matches /^(I60) (I61) (I63) (G45) (G46)/ ("Nontraumatic subarachnoid hemorrhage...," "Nontraumatic intracerebral hemorrhage...," "Cerebral infarction..." "Transient cerebral ischemic attacks...," or "Vascular syndromes of brain in cerebrovascular diseases...") or eSituation.12 Provider's Secondary Impressions matches /^(I60) (I61) (I63) (G45) (G46)/ ("Nontraumatic subarachnoid hemorrhage...," "Nontraumatic intracerebral hemorrhage...," "Cerebral infarction..." "Transient cerebral ischemic attacks...," or "Vascular syndromes of brain in cerebrovascular diseases...")) and eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")
Denominator Exclusion Pseudocode	or eVitals.23 Total Glasgow Coma Score is less than or equal to 9 or eVitals.26 Level of responsiveness (AVPU) is 3326007 ("Unresponsive")

NEMESIS Pseudocode: Trauma-01: Injured Patients Assessed for Pain

Measure Score Interpretation: For this measure, a higher score indicates better quality.

Measure Components	
Numerator Pseudocode	eVitals.27 Pain Scale Score is not null
Denominator Pseudocode	<p>eSituation.02 Possible Injury is 9922005 ("Yes")</p> <p>and</p> <p>(</p> <p>eVitals.23 Total Glasgow Coma Score is equal to 15</p> <p>or</p> <p>eVitals.26 Level of responsiveness (AVPU) is 3326001 ("Alert")</p> <p>)</p> <p>and</p> <p>(</p> <p>eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")</p> <p>and</p> <p>eDisposition.12 Incident/Patient Disposition is 4212033 ("Patient Treated, Transported by this EMS Unit")</p> <p>)</p>

NEMESIS Pseudocode: Trauma-03: Effectiveness of Pain Management for Injured Patients

Measure Score Interpretation: For this measure, a higher score indicates better quality.

Measure Components	
Numerator Pseudocode	<p>last (eVitals.27 Pain Scale Score where e.Vitals.01 Date/Time Vital Signs Taken is not null sorted by eVitals.01 Date/Time Vital Signs Taken)</p> <p>is less than</p> <p>first (eVitals.27 Pain Scale Score where e.Vitals.01 Date/Time Vital Signs Taken is not null sorted by eVitals.01 Date/Time Vital Signs Taken)</p>
Denominator Pseudocode	<p>(</p> <p>eSituation.02 Possible Injury is 9922005 ("Yes")</p> <p>and first (eVitals.27 Pain Scale Score where e.Vitals.01 Date/Time Vital Signs Taken is not null sorted by eVitals.01 Date/Time Vital Signs Taken) is greater than 0</p> <p>)</p> <p>and</p> <p>(</p> <p>eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")</p> <p>and eDisposition.12 Incident/Patient Disposition is 4212033 ("Patient Treated, Transported by this EMS Unit")</p> <p>)</p>

NEMSIS Pseudocode: Safety-01: Use of Lights and Sirens During Response to Scene

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	eResponse.24 Additional Response Mode Descriptors is 2224019 ("No Lights or Sirens"),
Denominator Pseudocode	eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)")

NEMESIS Pseudocode: Safety-02: Use of Lights and Sirens During Transport

Measure Score Interpretation: For this measure, a higher score indicates better quality

Measure Components	
Numerator Pseudocode	Disposition.18 Additional Transport Mode Descriptors is 4218015 ("No Lights or Sirens")
Denominator Pseudocode	eResponse.05 Type of Service Requested is 2205001 ("911 Response (Scene)") and eDisposition.12 Incident/Patient Disposition is 4212033 ("Patient Treated, Transported by this EMS Unit")